



# Federal Communications Commission

## Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2012 - June 30, 2013

Filing Confirmation Number: 0005857147

Filing Deadline: July 15, 2013

FRN: 0018939488

Filing Date: 07/14/2013 09:56 AM

### General Report Information

#### Type of Company

Device Manufacturer

#### De Minimis Exception

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period? No

Date that you ceased to be a small entity?

#### Company Information

Company Name: LG Electronics MobileComm USA

Brand Names: LG

PO Box:

Street Address: 1000 Sylvan Avenue

City: Englewood Cliffs

State: NJ

Zip Code: 07632

Contact Name: Jacob Cho

Contact Phone: (201) 266-2534

Contact Fax: (201) 816-2003

Contact Email: gyusik.cho@lge.com

#### Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

#### Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations?

Yes

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

Yes

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

Yes

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

### Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: <http://www.lg.com/us/public-notice/mobile/hearing-aid-compatibility-hac>

Explain:

### Consumer Outreach

Describe consumer outreach efforts in the past 12 months: We always have been doing our best to provide HAC compliance handsets with a newer design and better functionality for consumers. Specifically, as we already mentioned last year, we have been keeping TASK team to research and apply for HAC compliance. Additionally, we have

been monitoring the HAC compliance rate on monthly basis and analyzing and applying HAC capability at the earlier development stage. Therefore, we believe we have been providing HAC compliance models much more than the last reporting period related to 2G/3G air interfaces. We're not going to stop our effort for the customers and is going

to do our best to provide our customers with good quality HAC compliance models.

Additionally, HAC 2011 version has been released and currently used. So, this will help us to provide consumers with more/better HAC compliance models.

### Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 24

### Report Remarks

18 Handset models have been tested for HAC during the reporting period and they have been complied with HAC requirement.

CDMA only: 4 models

CDMA/LTE: 8 models

GSM/WCDMA: 2 models

GSM/WCDMA/LTE: 4 models

You have reported the following handset model summary information.  
Total number of handsets offered: 60

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Excluded Handsets	Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	Number	
GSM	13	59%	2	9%	7	32%		22
CDMA	33	85%	6	15%				39
WCDMA	12	71%	2	12%	3	18%		17

## Handset 1: LG LG-A340

### Handset Maker

LG

### Handset Model Name

LG-A340

### FCC ID

ZNFA340

### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz WCDMA  
1900 MHz GSM  
1900 MHz WCDMA  
2.4 GHz Bluetooth

### Dates

This handset model was offered from: 07/12 to 06/13

### Ratings

M-Rating: M3

M-Rating Certification Date: 01/11/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 01/11/12

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

Marketing Name: F4

## Handset 2: LG LG-AN160

### Handset Maker

LG

### Handset Model Name

LG-AN160

### FCC ID

ZNFAN160

### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

2.4 GHz Bluetooth

### Dates

This handset model was offered from: 05/13 to 06/13

### Ratings

M-Rating: M4

M-Rating Certification Date: 03/19/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

### Remarks

Marketing Name: Fluid

## Handset 3: LG LG-AN272

### Handset Maker

LG

### Handset Model Name

LG-AN272

LG-AN272PP

### FCC ID

ZNFAN272

ZNFAN272

### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

2.4 GHz Bluetooth

### Dates

This handset model was offered from: 11/12 to 06/13

### Ratings

M-Rating: M4

M-Rating Certification Date: 07/24/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 07/24/12

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

Marketing Name: Converse

### Handset 4: LG LG-AS695

#### Handset Maker

LG

#### Handset Model Name

LG-AS695

#### FCC ID

ZNFAS695

#### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

#### Dates

This handset model was offered from: 07/12 to 06/13

#### Ratings

M-Rating: M4

M-Rating Certification Date: 03/29/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 03/29/12

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

Marketing Name: Optimus Plus

## Handset 5: LG LG-AS730

### Handset Maker

LG

### Handset Model Name

### FCC ID

LG-AS730

ZNFAS730

LG730

ZNFAS730

LGL86C

ZNFAS730

### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

### Dates

This handset model was offered from: 09/12 to 06/13

### Ratings

M-Rating: M4

M-Rating Certification Date: 05/25/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 05/25/12

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

Marketing Name: Optimus Select for LG-AS730, Venice for LG730, Optimus Showtime for LGL86C

## Handset 6: LG LG-AS870, LG-VS870

### Handset Maker

LG

### Handset Model Name

### FCC ID

LG-AS870, LG-VS870

ZNFVS870

### Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

5000 MHz Wi-Fi

### Dates

This handset model was offered from: 03/13 to 06/13

## Ratings

M-Rating: M4

M-Rating Certification Date: 01/22/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 01/22/13

Version of the ANSI C63.19 standard used during the certification process: 2007

## Remarks

Marketing Name: Optimus F5 for LG-AS870, Lucid 2 for LG-VS870

## Handset 7: LG LG-C395

### Handset Maker

LG

### Handset Model Name

LG-C395

### FCC ID

ZNFC395

### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

2.4 GHz Bluetooth

### Dates

This handset model was offered from: 07/12 to 06/13

## Ratings

M-Rating: M3

M-Rating Certification Date: 01/24/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 01/24/12

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

Marketing Name: Xpression

### Handset 8: LG LG-C800

#### Handset Maker

LG

#### Handset Model Name

#### FCC ID

LG-C800

ZNFC800

#### Air Interfaces/Frequency Bands

850 MHz GSM

1700 MHz WCDMA

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

#### Dates

This handset model was offered from: 07/12 to 01/13

#### Ratings

M-Rating: M3

M-Rating Certification Date: 08/31/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 08/31/11

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

Marketing Name: Univa Qwerty



## Handset 9: LG LG-E739

### Handset Maker

LG

### Handset Model Name

LG-E739

### FCC ID

ZNFE739

### Air Interfaces/Frequency Bands

850 MHz GSM

1700 MHz WCDMA

1900 MHz GSM

2.4 GHz Wi-Fi

### Dates

This handset model was offered from: 07/12 to 09/12

### Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

### Remarks

Marketing Name: Victor

## Handset 10: LG LG-E960

### Handset Maker

LG

### Handset Model Name

LG-E960

### FCC ID

ZNFE960

### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

5000 MHz Wi-Fi

### Dates

This handset model was offered from: 10/12 to 06/13

## Ratings

M-Rating: M3

M-Rating Certification Date: 09/07/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

## Remarks

Marketing Name: Nexus4

## Handset 11: LG LG-E970

### Handset Maker

LG

### Handset Model Name

LG-E970

### FCC ID

ZNFE970

### Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz GSM  
850 MHz WCDMA  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz WCDMA  
2.4 GHz Wi-Fi  
2.4 GHz Bluetooth

## Dates

This handset model was offered from: 10/12 to 06/13

## Ratings

M-Rating: M3

M-Rating Certification Date: 08/31/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 08/31/12

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

Marketing Name: G

### Handset 12: LG LG-E980

#### Handset Maker

LG

#### Handset Model Name

#### FCC ID

LG-E980

ZNFE980

#### Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz GSM  
850 MHz WCDMA  
850 MHz LTE  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
2.4 GHz Bluetooth  
5000 MHz Wi-Fi

#### Dates

This handset model was offered from: 04/13 to 06/13

#### Ratings

M-Rating: M3

M-Rating Certification Date: 03/21/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/21/13

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

Marketing Name: G Pro

### Handset 13: LG LG-GT550

#### Handset Maker

LG

#### Handset Model Name

#### FCC ID

LG-GT550

BEJGT550

#### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

2.4 GHz Bluetooth

#### Dates

This handset model was offered from: 07/12 to 08/12

#### Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

#### Remarks

Marketing Name: Encore

## Handset 14: LG LG-LN272

### Handset Maker

LG

### Handset Model Name

### FCC ID

LG-LN272

ZNFLN272

LG272

ZNFLN272

### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

2.4 GHz Bluetooth

### Dates

This handset model was offered from: 07/12 to 06/13

### Ratings

M-Rating: M4

M-Rating Certification Date: 10/06/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 10/06/11

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

Marketing Name: Rumor Reflex

## Handset 15: LG LG-LS696, LG-VM696

### Handset Maker

LG

### Handset Model Name

### FCC ID

LG-LS696, LG-VM696

ZNFLS696

### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

### Dates

This handset model was offered from: 07/12 to 05/13

### Ratings

M-Rating: M4

M-Rating Certification Date: 01/18/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 01/18/12

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

Marketing Nam: Optimus Elite

---

### Handset 16: LG LG-LS720, LG-VM720

#### Handset Maker

LG

#### Handset Model Name

#### FCC ID

LG-LS720, LG-VM720

ZNFLS720

#### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

#### Dates

This handset model was offered from: 05/13 to 06/13

#### Ratings

M-Rating: M4

M-Rating Certification Date: 03/21/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/21/13

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

Marketing Name: Optimus F3

## Handset 17: LG LG-LS840

### Handset Maker

LG

### Handset Model Name

LG-LS840

### FCC ID

ZNFLS840

### Air Interfaces/Frequency Bands

800 MHz CDMA  
1900 MHz CDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
2.4 GHz Bluetooth

### Dates

This handset model was offered from: 07/12 to 02/13

### Ratings

M-Rating: M4

M-Rating Certification Date: 01/20/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 01/20/12

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

Marketing Name: Viper

## Handset 18: LG LG-LS855

### Handset Maker

LG

### Handset Model Name

LG-LS855

### FCC ID

BEJLS855

### Air Interfaces/Frequency Bands

800 MHz CDMA  
1900 MHz CDMA  
2.4 GHz Wi-Fi  
2.4 GHz Bluetooth

### Dates

This handset model was offered from: 07/12 to 09/12

### Ratings

M-Rating: M4

M-Rating Certification Date: 06/30/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 06/30/11

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

Marketing Name: Optimus Black

### Handset 19: LG LG-LS860

#### Handset Maker

LG

#### Handset Model Name

#### FCC ID

LG-LS860

ZNFLS860

#### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

#### Dates

This handset model was offered from: 10/12 to 06/13

#### Ratings

M-Rating: M4

M-Rating Certification Date: 08/29/12



Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 08/29/12

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

Marketing Name: Mach

### Handset 20: LG LG-LS970

#### Handset Maker

LG

#### Handset Model Name

#### FCC ID

LG-LS970

ZNFLS970

#### Air Interfaces/Frequency Bands

800 MHz CDMA  
1900 MHz CDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
2.4 GHz Bluetooth  
5000 MHz Wi-Fi

#### Dates

This handset model was offered from: 10/12 to 06/13

#### Ratings

M-Rating: M4

M-Rating Certification Date: 08/10/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

#### Remarks

Marketing Name: Optimus G

## Handset 21: LG LG-MN270

### Handset Maker

LG

### Handset Model Name

LG-MN270

### FCC ID

BEJMN270

### Air Interfaces/Frequency Bands

800 MHz CDMA  
1700 MHz CDMA  
1900 MHz CDMA  
2.4 GHz Bluetooth

### Dates

This handset model was offered from: 07/12 to 11/12

### Ratings

M-Rating: M4

M-Rating Certification Date: 04/21/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 04/21/11

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

Marketing Name: Attune

## Handset 22: LG LG-MS695

### Handset Maker

LG

### Handset Model Name

LG-MS695

### FCC ID

ZNFMS695

### Air Interfaces/Frequency Bands

800 MHz CDMA  
1700 MHz CDMA  
1900 MHz CDMA  
2.4 GHz Wi-Fi  
2.4 GHz Bluetooth

### Dates

This handset model was offered from: 07/12 to 01/13

### Ratings

M-Rating: M4

M-Rating Certification Date: 11/16/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 11/16/11

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

Marketing Name: Optimus M plus

### Handset 23: LG LG-MS770

#### Handset Maker

LG

#### Handset Model Name

#### FCC ID

LG-MS770

ZNFMS770

#### Air Interfaces/Frequency Bands

800 MHz CDMA  
1700 MHz CDMA  
1700 MHz LTE  
1900 MHz CDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
2.4 GHz Bluetooth

#### Dates

This handset model was offered from: 08/12 to 06/13

#### Ratings

M-Rating: M4

M-Rating Certification Date: 07/18/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 07/18/12

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

Marketing Name: Motion 4G

---

### Handset 24: LG LG-MS840, LG-MS840V

#### Handset Maker

LG

Handset Model Name	FCC ID
--------------------	--------

LG-MS840, LG-MS840V	ZNFMS840
---------------------	----------

#### Air Interfaces/Frequency Bands

800 MHz CDMA  
1700 MHz CDMA  
1700 MHz LTE  
1900 MHz CDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
2.4 GHz Bluetooth

#### Dates

This handset model was offered from: 08/12 to 09/12

#### Ratings

M-Rating: M4

M-Rating Certification Date: 11/17/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 11/17/11

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

Marketing Name: Connect 4G

## Handset 25: LG LG-MS870

### Handset Maker

LG

### Handset Model Name

LG-MS870

### FCC ID

ZNFMS870

### Air Interfaces/Frequency Bands

800 MHz CDMA  
1700 MHz CDMA  
1700 MHz LTE  
1900 MHz CDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
2.4 GHz Bluetooth

### Dates

This handset model was offered from: 01/13 to 06/13

### Ratings

M-Rating: M4

M-Rating Certification Date: 11/19/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 11/19/12

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

Marketing Name: Spirit 4G

## Handset 26: LG LG-MS910

### Handset Maker

LG

### Handset Model Name

LG-MS910

### FCC ID

BEJMS910

### Air Interfaces/Frequency Bands

800 MHz CDMA  
1700 MHz CDMA  
1700 MHz LTE  
1900 MHz CDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
2.4 GHz Bluetooth

## Dates

This handset model was offered from: 07/12 to 11/12

## Ratings

M-Rating: M4

M-Rating Certification Date: 07/11/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 07/11/11

Version of the ANSI C63.19 standard used during the certification process: 2007

## Remarks

Marketing Name: Esteem

## Handset 27: LG LG-MS769

### Handset Maker

LG

### Handset Model Name

### FCC ID

LG-MS769

ZNFP769

LG-P769

ZNFP769

### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

5000 MHz Wi-Fi

## Dates

This handset model was offered from: 10/12 to 06/13

## Ratings

M-Rating: M4

M-Rating Certification Date: 09/17/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 09/17/12

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

Marketing Name: Optimus L9

### Handset 28: LG LG-P870

#### Handset Maker

LG

#### Handset Model Name

#### FCC ID

LG-P870

ZNFP870

#### Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

#### Dates

This handset model was offered from: 09/12 to 05/13

#### Ratings

M-Rating: M3

M-Rating Certification Date: 08/01/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 08/01/12

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

Marketing Name: Escape

### Handset 29: LG LG-P930

#### Handset Maker

LG

#### Handset Model Name

#### FCC ID

LG-P930

BEJP930

#### Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

#### Dates

This handset model was offered from: 07/12 to 09/12

#### Ratings

M-Rating: M3

M-Rating Certification Date: 10/12/11



Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 10/12/11

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

Marketing Name: Nitro HD

### Handset 30: LG LG-UN160

#### Handset Maker

LG

#### Handset Model Name

#### FCC ID

LG-UN160

ZNFUN160

LG-UN161

ZNFUN160

#### Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

2.4 GHz Bluetooth

#### Dates

This handset model was offered from: 04/13 to 06/13

#### Ratings

M-Rating: M4

M-Rating Certification Date: 03/19/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

#### Remarks

Marketing Name: Envoy II

## Handset 31: LG LG-UN272

### Handset Maker

LG

### Handset Model Name

### FCC ID

LG-UN272

ZNFUN272

LG-UN272PP

ZNFUN272

### Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

2.4 GHz Bluetooth

### Dates

This handset model was offered from: 10/12 to 06/13

### Ratings

M-Rating: M4

M-Rating Certification Date: 05/16/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 05/16/12

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

Marketing Name: Freedom

## Handset 32: LG LG-US730

### Handset Maker

LG

### Handset Model Name

### FCC ID

LG-US730

ZNFUS730

### Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

### Dates

This handset model was offered from: 09/12 to 06/13

### Ratings

M-Rating: M4

M-Rating Certification Date: 05/07/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 05/07/12

Version of the ANSI C63.19 standard used during the certification process: 2007

## Remarks

Marketing Name: Splendor

## Handset 33: LG LG-US780

### Handset Maker

LG

### Handset Model Name

### FCC ID

LG-US780

ZNFUS780

### Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz CDMA

850 MHz LTE

1700 MHz CDMA

1700 MHz LTE

1900 MHz CDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

5000 MHz Wi-Fi

### Dates

This handset model was offered from: 06/13 to 06/13

### Ratings

M-Rating: M4

M-Rating Certification Date: 03/15/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 03/15/13

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

Marketing Name: Optimus F7

### Handset 34: LG LG-VN150

#### Handset Maker

LG

Handset Model Name	FCC ID
--------------------	--------

LG-VN150	BEJVN150
----------	----------

LG-VN150S	BEJVN150
-----------	----------

#### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

2.4 GHz Bluetooth

#### Dates

This handset model was offered from: 07/12 to 06/13

#### Ratings

M-Rating: M4

M-Rating Certification Date: 04/28/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 04/28/11

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

Marketing Name: Cassia for LG-VN150, Cassia2 for LG-VN150S

## Handset 35: LG LG-VN251

### Handset Maker

LG

### Handset Model Name

### FCC ID

LG-VN251

BEJVN251

LG-VN251S

BEJVN251

### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

2.4 GHz Bluetooth

### Dates

This handset model was offered from: 07/12 to 06/13

### Ratings

M-Rating: M4

M-Rating Certification Date: 06/03/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 06/03/11

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

Marketing Name: Cosmos 2 for LG-VN251, Cosmos 3 for LG-VN251S

## Handset 36: LG LG-VN271

### Handset Maker

LG

### Handset Model Name

### FCC ID

LG-VN271

ZNFVN271

### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

2.4 GHz Bluetooth

### Dates

This handset model was offered from: 07/12 to 03/13

### Ratings

M-Rating: M4

M-Rating Certification Date: 07/29/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 07/29/11

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

Marketing Name: Extravert

### Handset 37: LG LG-VS410PP

#### Handset Maker

LG

#### Handset Model Name

#### FCC ID

LG-VS410PP

ZNFL38C

LGL38C

ZNFL38C

#### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

#### Dates

This handset model was offered from: 11/12 to 06/13

#### Ratings

M-Rating: M4

M-Rating Certification Date: 10/03/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

#### Remarks

Marketing Name: Optimus Zone for LG-VS410PP, Optimus Dynamic for LGL38C

## Handset 38: LG LG-VS700

### Handset Maker

LG

### Handset Model Name

### FCC ID

LG-VS700

BEJVS700

LGL75C

BEJVS700

### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

### Dates

This handset model was offered from: 07/12 to 06/13

### Ratings

M-Rating: M4

M-Rating Certification Date: 06/17/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 06/17/11

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

Marketing Name: Enlighten for LG-VS700, Optimus Zip for LGL75C

## Handset 39: LG LG-VS840

### Handset Maker

LG

### Handset Model Name

### FCC ID

LG-VS840

ZNFVS840

LG-VS840P

ZNFVS840

LG-VS840PP

ZNFVS840

### Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

### Dates

This handset model was offered from: 07/12 to 06/13

## Ratings

M-Rating: M4

M-Rating Certification Date: 01/30/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 01/30/12

Version of the ANSI C63.19 standard used during the certification process: 2007

## Remarks

Marketing Name: Lucid for LG-VS840, Lucid Purple for LG-VS840P, Optimus Exceed for LG-VS840PP

## Handset 40: LG LG-VS920

### Handset Maker

LG

### Handset Model Name

### FCC ID

LG-VS920

BEJVS920

### Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

5000 MHz Wi-Fi

### Dates

This handset model was offered from: 07/12 to 08/12

## Ratings

M-Rating: M3

M-Rating Certification Date: 08/30/11



Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

#### Remarks

Marketing Name: Spectrum

### Handset 41: LG LG-VS930

#### Handset Maker

LG

#### Handset Model Name

#### FCC ID

LG-VS930

ZNFVS930

#### Air Interfaces/Frequency Bands

700 MHz LTE  
800 MHz CDMA  
850 MHz GSM  
1900 MHz GSM  
1900 MHz CDMA  
1900 MHz WCDMA  
2.4 GHz Wi-Fi  
2.4 GHz Bluetooth  
5000 MHz Wi-Fi

#### Dates

This handset model was offered from: 10/12 to 06/13

#### Ratings

M-Rating: M3

M-Rating Certification Date: 06/19/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 06/19/12

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

Marketing Name: Spectrum 2

### Handset 42: LG LG-VS950

#### Handset Maker

LG

#### Handset Model Name

#### FCC ID

LG-VS950

ZNFVS950

#### Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

5000 MHz Wi-Fi

#### Dates

This handset model was offered from: 09/12 to 06/13

#### Ratings

M-Rating: M3

M-Rating Certification Date: 06/28/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 06/28/12

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

Marketing Name: Intuition

## Handset 43: LG LG100C

### Handset Maker

LG

### Handset Model Name

LG100C

### FCC ID

BEJLG100C

### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

### Dates

This handset model was offered from: 07/12 to 06/13

### Ratings

M-Rating: M4

M-Rating Certification Date: 05/19/09

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 05/19/09

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

Marketing Name: LG 100C

## Handset 44: LG LG221C

### Handset Maker

LG

### Handset Model Name

LG221C

LG235C

### FCC ID

BEJUN150

BEJUN150

### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

2.4 GHz Bluetooth

### Dates

This handset model was offered from: 07/12 to 06/13

### Ratings

M-Rating: M4

M-Rating Certification Date: 03/31/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

#### Remarks

Marketing Name: LG 221C, LG 235C

### Handset 45: LG LG325G

#### Handset Maker

LG

#### Handset Model Name

#### FCC ID

LG325G

BEJLG325G

#### Air Interfaces/Frequency Bands

850 MHz GSM

1900 MHz GSM

#### Dates

This handset model was offered from: 07/12 to 03/13

#### Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

#### Remarks

Marketing Name: LG325G

### Handset 46: LG LG430G

#### Handset Maker

LG

#### Handset Model Name

#### FCC ID

**Air Interfaces/Frequency Bands**

850 MHz GSM  
1900 MHz GSM  
2.4 GHz Bluetooth

**Dates**

This handset model was offered from: 07/12 to 01/13

**Ratings**

M-Rating: M3

M-Rating Certification Date: 07/26/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 07/26/11

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

Marketing Name: LG 430G

**Handset 47: LG LG440G****Handset Maker**

LG

**Handset Model Name****FCC ID**

LG440G

ZNFLG440G

**Air Interfaces/Frequency Bands**

850 MHz GSM  
850 MHz WCDMA  
1900 MHz GSM  
1900 MHz WCDMA  
2.4 GHz Bluetooth

**Dates**

This handset model was offered from: 09/12 to 06/13

**Ratings**

M-Rating: M3

M-Rating Certification Date: 06/01/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 06/01/12

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

Marketing Name: LG 440G

### Handset 48: LG LG500G

#### Handset Maker

LG

#### Handset Model Name

#### FCC ID

LG500G

BEJLG500G

#### Air Interfaces/Frequency Bands

850 MHz GSM

1900 MHz GSM

2.4 GHz Bluetooth

#### Dates

This handset model was offered from: 07/12 to 01/13

#### Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

#### Remarks

Marketing Name: LG 500G

## Handset 49: LG LG501C

### Handset Maker

LG

### Handset Model Name

LG501C

### FCC ID

BEJUN200

### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

2.4 GHz Bluetooth

### Dates

This handset model was offered from: 07/12 to 06/13

### Ratings

M-Rating: M4

M-Rating Certification Date: 11/17/10

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 11/17/10

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

Marketing Name: LG 501C

## Handset 50: LG LG505C

### Handset Maker

LG

### Handset Model Name

LG505C

### FCC ID

BEJVN270

### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

2.4 GHz Bluetooth

### Dates

This handset model was offered from: 07/12 to 03/13

### Ratings

M-Rating: M4

M-Rating Certification Date: 08/18/10

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 08/18/10

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

Marketing Name: LG 505C

---

### Handset 51: LG LG511C

#### Handset Maker

LG

#### Handset Model Name

#### FCC ID

LG511C

BEJUN510

#### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

2.4 GHz Bluetooth

#### Dates

This handset model was offered from: 07/12 to 08/12

#### Ratings

M-Rating: M4

M-Rating Certification Date: 07/16/10

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 07/16/10

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

Marketing Name: LG 511C



## Handset 52: LG LG530G

### Handset Maker

LG

### Handset Model Name

LG530G

### FCC ID

ZNFLG530G

### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

2.4 GHz Bluetooth

### Dates

This handset model was offered from: 09/12 to 04/13

### Ratings

M-Rating: M3

M-Rating Certification Date: 02/01/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 02/01/12

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

Marketing Name: LG 530G

## Handset 53: LG LG800G

### Handset Maker

LG

### Handset Model Name

LG800G

### FCC ID

BEJLG800G

### Air Interfaces/Frequency Bands

850 MHz GSM

1900 MHz GSM

2.4 GHz Bluetooth

### Dates

This handset model was offered from: 07/12 to 08/12

### Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

#### Remarks

Marketing Name: LG 800G

### Handset 54: LG LG840G

#### Handset Maker

LG

#### Handset Model Name

#### FCC ID

LG840G

ZNFLG840G

#### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

2.4 GHz Bluetooth

#### Dates

This handset model was offered from: 09/12 to 02/13

#### Ratings

M-Rating: M3

M-Rating Certification Date: 07/02/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 07/02/12

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

Marketing Name: LG 840G

## Handset 55: LG LG870

### Handset Maker

LG

### Handset Model Name

LG870

### FCC ID

ZNFLG870

### Air Interfaces/Frequency Bands

800 MHz CDMA  
1900 MHz CDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
2.4 GHz Bluetooth  
5000 MHz Wi-Fi

### Dates

This handset model was offered from: 05/13 to 06/13

### Ratings

M-Rating: M4

M-Rating Certification Date: 04/25/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 04/25/13

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

Marketing Name: Optimus F7

## Handset 56: LG LGL35G

### Handset Maker

LG

### Handset Model Name

LGL35G

### FCC ID

ZNFL35G

### Air Interfaces/Frequency Bands

850 MHz GSM  
1900 MHz GSM  
2.4 GHz Bluetooth

### Dates

This handset model was offered from: 08/12 to 01/13

### Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

#### Remarks

Marketing Name: Optimus Logic

### Handset 57: LG LGL40G

#### Handset Maker

LG

#### Handset Model Name

#### FCC ID

LGL40G

ZNFL40G

#### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

#### Dates

This handset model was offered from: 10/12 to 06/13

#### Ratings

M-Rating: M3

M-Rating Certification Date: 05/24/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

#### Remarks

Marketing Name: Optimus Extreme

### Handset 58: LG LGL46C

#### Handset Maker

LG

#### Handset Model Name

#### FCC ID

LGL46C

ZNFL46C

#### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

#### Dates

This handset model was offered from: 12/12 to 12/12

#### Ratings

M-Rating: M4

M-Rating Certification Date: 06/29/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 06/29/12

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

Marketing Name: Optimus Quest

## Handset 59: LG LGL55C

### Handset Maker

LG

### Handset Model Name

LGL55C

### FCC ID

ZNFL55C

### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

### Dates

This handset model was offered from: 07/12 to 03/13

### Ratings

M-Rating: M4

M-Rating Certification Date: 08/26/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 08/26/11

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

Marketing Name: Optimus Q

## Handset 60: LG LGL96G

### Handset Maker

LG

### Handset Model Name

LGL96G

### FCC ID

ZNFL96G

### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

### Dates

This handset model was offered from: 11/12 to 02/13

### Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

## Remarks

Marketing Name: Optimis Ultimate

---

## Certification

### This Report has been certified by:

Jacob Cho Director  
07/14/2013 09:56 AM